

Souvik Bhattacharjya



Senior Fellow and Associate Director, The Energy and Resources Institute (TERI)
Adjunct Faculty, TERI School of Advanced Studies

2020- ongoing Ph.D., Indian Institute of Management, Lucknow
2002-2004 Master of Arts in World Economy, Jawaharlal Nehru University, New
Delhi
1999-2002 Bachelor of Science in Economics, Calcutta University, Calcutta

Environmental Sustainability Assessment of Different Beverage Packaging Substrates in India Using LCA

Mr. Souvik Bhattacharjya, Senior Fellow, The Energy and Resources Institute¹

Ms. Trinayana Kaushik, Research Associate, The Energy and Resources Institute

Mr. Nitin Bajai, Project Manager, Green Story

The Energy and Resources Institute, Darbari Seth Block, India Habita Centre, Lodhi

Road, New Delhi - 110003

souvik.bhattacharjya@teri.res.in

Packaging plays a pivotal role in ensuring product protection and safety while offering consumers' purchasing experience with respect to the brand. In recent years, particularly after the pandemic, there has been unprecedented surge in e-commerce and consequently, the Indian packaging industry has witnessed steep growth. However, the predominant share of plastics in retail packaging and often less responsible attitudes of consumers, are resulting in plastic littering post usage, thereby creating environmental threats.

In recent years beverage sector accounted for 21% of the total consumer packaging requirement. Rigid packaging has had the largest share of (38%), followed by glass (32%), and multilayered packaging (cartons) 13%. Metal cans (mostly representing aluminium) has had a the least market share of (7%).

The study has used LCA tool used with India specific data to analyse the environmental impacts of multiple beverage packaging material. It adopts a 'cradle to cradle' approach substrates beginning with raw material extraction, manufacture of primary and secondary packaging material, transportation between different stages as well as end of life packaging material. The study presents 18 environmental impact categories including GWP, water consumption, acidification and material circularity. The volumes considered were the 250 ml and 500 ml aluminium cans; 200 ml, 600 ml and 750 ml PET bottles; 200 ml, 330 ml and 650 ml glass bottles; and 200 ml MLP carton.

¹ Corresponding Author: Souvik.bhattacharjya@teri.res.in